

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
24 February 2005 (24.02.2005)

PCT

(10) International Publication Number  
**WO 2005/017523 A3**

(51) International Patent Classification<sup>7</sup>: **G01N 33/68**

(21) International Application Number:  
PCT/GB2004/003512

(22) International Filing Date: 16 August 2004 (16.08.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
0319167.3 15 August 2003 (15.08.2003) GB

(71) Applicants (for all designated States except US): **UNIVERSITE DE GENEVE** [CH/CH]; Rue General-Dufour 24, Case Postale, CH-1211 Geneva 4 (CH). **LUCAS, Brian** [GB/GB]; Lucas & Co., 135 Westhall Road, Warlingham, Surrey CR6 9HJ (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **LESCUYER, Pierre** [FR/FR]; 2, rue du Chablais, F-74100 Annemasse (FR). **HOCHSTRASSER, Denis** [CH/CH]; Chemin de la Savonniere 27, CH-1245 Geneva (CH). **SANCHEZ, Jean-Charles** [CH/CH]; Chemin Frank-Thomas 42,

CH-1208 Geneva (CH). **ALLARD, Laure** [FR/FR]; Residence 'Le Clos des Vignes', 44 A Rue des Vignes, F-74240 Gaillard (FR). **GUILLAUME, Elisabeth** [FR/FR]; 76 Grande Rue, F-01220 Divonne Les Bains (FR).

(74) Agent: **LUCAS, Brian**; Lucas & Co., 135 Westhall Road, Warlingham, Surrey CR6 9HJ (GB).


(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: METHOD FOR DISCRIMINATING BETWEEN ISCHEMIC AND HAEMORRHAGIC STROKE

Determination of ApoC-III level in 14 haemorrhagic and 13 ischaemic stroke plasma samples compared to 30 negative controls using Daiichi tests (Cobas Mira plus automate)



	p (student test)	Sensitivity	Specificity
I vs H	0.0342	92.3 %	71.42 %
I vs Ctrl	0.025	92.3 %	50 %
H vs Ctrl	0.4682	-	-

(57) Abstract: Stroke is diagnosed in a subject by determining the concentration of at least one polypeptide selected from Apo C-III, Serum Amyloid A, Apo C-I, Antithrombin III fragment and Apo A-I in a sample of body fluid taken from the subject.



**Published:**

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**(88) Date of publication of the international search report:**

12 May 2005